

**From:** Brian Robinson <brobinson@jbgsmith.com>  
**Sent:** Thursday, January 17, 2019 12:05 PM EST  
**To:** Tod Connors <tconnors@arlingtonva.us>; Elizabeth Wells <ewells@arlingtonva.us>  
**CC:** Shahriar Amiri <samiri@arlingtonva.us>; Emad Elmagraby <elmagraby@arlingtonva.us>; Suzanne Sabatier <ssabatier@jbgsmith.com>  
**Subject:** FW: 1800 - S Bell Street Entrance  
**Attachment(s):** "Pages from 2018-12-27 Entrance options.pdf"

Hello Tod & Libby,

Hope all is well. We wanted to get your team's thoughts on a question that has come up during our design. Amazon is interested in expanding the Main lobby at 1800 S. Bell to include additional space (clouded on attachment on page 2). If they push to do this, will a vestibule be required (as shown on Page 1? There is no vestibule currently)? Due to the leadtime, Admin Change review and construction cost associated with adding a vestibule, this is a decision we were looking to make before getting too deep into design. Please feel free to call my cell with any questions.

Thanks in advance,

**Brian Robinson | Senior Construction Manager**

JBG Smith

4445 Willard Avenue, Suite 400 | Chevy Chase, Maryland 20815

240.333.7611 direct | 703.307.5844 mobile

[brobinson@jbgsmith.com](mailto:brobinson@jbgsmith.com)

JBGSMITH.COM

Please consider the environment before printing this email.

---

**From:** Erika Miller Owings <eowings@hickokcole.com>  
**Sent:** Tuesday, January 15, 2019 12:30 PM  
**To:** Brian Robinson <brobinson@jbgsmith.com>  
**Cc:** Brandon Taff <btaff@jbgsmith.com>; Suzanne Sabatier <ssabatier@jbgsmith.com>; Marrow, Nick <nmarrow@gpinet.com>; Joseph O'Connor <joconnor@hickokcole.com>  
**Subject:** 1800 - S Bell Street Entrance

**CAUTION: EXTERNAL EMAIL**

Hi Brian,

Per the International Energy Conservation Code, an enclosed vestibule will be required at the main entry since the lobby will now be larger than 3,000 square feet. Please see the attached sheets showing with and without a vestibule.

#### **IECC 2015 - Vestibules Section C402.5.7**

Building entrance shall be protected with an enclosed vestibule, with all doors opening into and out of the vestibule equipped with self-closing devices. Vestibules shall be designed so that in passing through the vestibule it is not necessary for the interior and exterior doors to open at the same time. The installation of one or more revolving doors in the building entrance shall not eliminate the requirement that a vestibule be provided on any doors adjacent to revolving doors.


#### *Exceptions:*

- 1. Buildings in Climate Zones 1 and 2*
- 2. Doors not intended to be used as a building entrance door, such as doors to mechanical or electrical equipment rooms*
- 3. Doors opening directly from a sleeping unit or dwelling unit.*
- 4. Doors that open directly from a space less than 3,000 ft<sup>2</sup> in area.*
- 5. Revolving doors.*
- 6. Doors used primarily to facilitate vehicular movement or material handling and adjacent personnel doors*
- 7. Doors that have an air curtain with a velocity of not less than 6.56 feet per second(2m/s) at the floor that have been tested in accordance with ANSI/AMCA 220 and installed in accordance with the manufacturer's instructions. Manual or automatic controls shall provide that will operate the air curtain with the opening and closing of the door. Air curtains and their controls shall comply with Section C408.2.3.*

Thanks and let us know what the next steps are.

Erika

**Erika Miller Owings, RA**  
Associate



1023 31st Street NW  
Washington DC 20007  
202.667.9776 | [hickokcole.com](http://hickokcole.com)



This e-mail message is for the sole use of the intended recipient(s) and may contain confidential and privileged information. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. Any unauthorized review, use, disclosure or distribution is prohibited. Please consider the environment before printing this e-mail.

**Confidentiality Notice:** This message and its attachments are intended solely for the use of the intended recipient(s) and may contain information that is confidential, proprietary, privileged or otherwise exempt from disclosure under applicable law or doctrine. If you are not the intended recipient, please be aware that any disclosure, copying, distribution, reliance upon or use of the contents of this message is prohibited. If you are not the intended recipient, please notify the sender, and delete and destroy all copies of this message and its attachments. No confidentiality or privilege is waived or lost by transmission errors.